

Partial Parts List For Job #: 20484-0000

Date Printed: May 26, 2023

For Sales Order: 32123 Item: ARC41L2LEDSB4XH1C8T; ARC41L2LEDSB4XC8T; ARC41L3AR5

Part #	Description	QTY	UOM
2004-1-300-27	SINGLE TERMINAL BLOCK MTG BRACKET 18 GA. GALV. 3 9/16" X 1 29/32"	1.00	EA
2006-1-20-2A	OUTER SHELL BOTTOM 18 GA PTLOK, 38 13/16" X 35 5/8"	1.00	EA
2006-1-20-3	OUTER SHELL REAR WALL 22 GA PTLOK, 59 9/16" X 38 7/8"	1.00	EA
2006-1-20-6A	OUTER SHELL TOP 18 GA PTLOK, 38 13/16" X 35 5/8"	1.00	EA
2006-1-20-8	TOP / BOTTOM LINER SUPPORT Bend Location: B--	2.00	EA
2006-1-20-9	VERTICAL LINER SUPPORT Bend Location: A--	2.00	EA
2006-1-30-1	INNER LINER BOTTOM 22 GA. #304-4 S.S., 38 5/16" X 29 5/32"	1.00	EA
2006-1-30-2	INNER LINER TOP Bend Location: B--	1.00	EA
2006-1-30-5	INNER LINER BACK Bend Location: A--	1.00	EA
2006-1-30-6	41 TOP & BOTTOM INSULATION POLYSTYRENE 1 9/16 x 14 7/8 x 37 13/16	4.00	EA
2006-1-300-6	HEATER BRACKET 22 GA GALV	4.00	EA
2006-1-50-1	DOOR FACE PANEL Bend Location: A--	1.00	EA
2006-1-50-3	CU-41 DOOR INSULATION POLYSTYRENE, 1 7/8 X 39 X 59 1/2"	1.00	EA
2006-1Q-20	BASE ASSY	1.00	EA
2006-1Q-520	SERIES 41 SKID, DOMESTIC	1.00	EA
2006-5-150-1	REAR WALL PLENUM 22 GA PTLOK	1.00	EA
2006-5-150A	REAR WALL PLENUM SLIDER WELD ASS'Y	11.00	EA
2010-1-120-1	41 LAMP BANK BASE 22 GA PTLOK	2.00	EA
2010-1-120-2	41 LAMP BANK COVER 22 GA PTLOK	2.00	EA
2017-5-230-1	SHORT (NORMAL) SENSOR BRACKET Bend Location: B--	1.00	EA
2019-18-100-2	MOUNTING BRACKET Bend Location: B--	1.00	EA
2020-2-100-5	36 SOLID-STATE RELAY MOUNTING PLATE Bend Location: B--	1.00	EA
2020-2-100A	HINGED INTELLUS BRACKET WELD	1.00	EA
2020-2-100B	CONTROL BOX LOCK CATCH PLATE WELD	1.00	EA
2020-2-80-1L	LH CONTROL TOP CORNER Bend Location: B--	1.00	EA
2020-2-80-1R	RH CONTROL TOP CORNER 18 GA PTLOK	1.00	EA
2020-3-100-1	41 CONTROL BOX DOOR W/ TABLET Bend Location: A--	1.00	EA
2020-3-100-2	41 CONTROL BOX ENCLOSURE Bend Location: A--	1.00	EA
2020-3-100-3	41 CONTROL BOX TOP COVER 18 GA PTLOK	1.00	EA
2020-3-100-4	41 CONTROL BOX DOOR STOP Bend Location: B--	1.00	EA
2020-3-80-2	41 CONTROL TOP REAR PANEL 22 GA PTLOK	1.00	EA
2020-3-80-4	41 EXTENDED(2") MECH SECTION COVER 22 GA PTLOK	1.00	EA
2021-8-170-1	HEATER BRACKET 22 GA GALV	2.00	EA
57458	DRIER CLAMP Bend Location: B--	1.00	EA
70-1Y-30-1	WATER VALVE MOUNTING BRACKET 22 GA PTLOK 2" X 3 3/4"	1.00	EA
70-2-300-16	SUCTION ACCUMULATOR MTG. BRACKET Bend Location: B--	2.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	2.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	2.00	EA
95-3-20-1A	LH SIDE WALL, OUTER SHELL Bend Location: A--	1.00	EA
95-3-20-1R	RH SIDE WALL, OUTER SHELL Bend location: A--	1.00	EA
95-3-20-7A	GUSSET 18 GA. PTLOK, 8 X 8" (EACH), 28 13/32 X 40 3/8" (BATCH 32)	4.00	EA
95-3-20-8L	REAR CORNER LINER SUPPORT Bend Location: B--	1.00	EA

Partial Parts List For Job #: 20484-0000

Date Printed: May 26, 2023

For Sales Order:

Item: ARC41L2LEDSB4XH1C8T; ARC41L2LEDSB4XC8T; ARC41L3AR5

Part #	Description	QTY	UOM
95-3-20-8R	REAR CORNER LINER SUPPORT Bend Location: B--	1.00	EA
95-3-300-2	CONDENSING UNIT PLATE Bend Location: B--	1.00	EA
95-3-300-5	TOP LH PANEL Bend Location: B--	1.00	EA
95-3-300-6	TOP RH SCREEN Bend Location: B--	1.00	EA
95-3A-30-3	INNER LINER R.H. SIDE Bend location: B--	1.00	EA
95-3A-30-4	INNER LINER L.H. SIDE Bend Location: B--	1.00	EA
95-3Q-500-1	SKID SHIM 2 X 4 LUMBER 15 1/2" LENGTH	2.00	EA
95-4-50-5	CORNER-DOOR CORE Bend Location: FLAT	4.00	EA
95-5-30-3	HUMIDIFIER FLOAT SWITCH BRACKET 22 GA. #304-4 S.S.	1.00	EA
95-5-300-9 (EUR)	WATER VALVE MOUNTING BRACKET 16 GA. GALV.	1.00	EA
95-5-40-10	WATER VALVE MOUNTING BOX 22 GA PTLOK	1.00	EA
95-5-40-11	WATER VALVE MOUNTING BOX COVER 22 GA PTLOK	1.00	EA
95-5-700-2	VERTICAL WATER LINE CUT TO 5 1/4" LENGTH, USE YTU-077	1.00	EA
95481	SPORLAN SOLENOID VALVE MOUNT Bend Location: B--	2.00	EA
98-2-300-7	LH RECEPTACLE PANEL 22 GA PTLOK	1.00	EA
CMS-007 (MACH.	8-32 X 3/8", RD. HEAD, PHILLIPS, ZINC	2.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	4.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	22.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	3.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	2.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	2.00	EA
CMS-074 (MACH.	6-32 X 1" PHILLIPS RD. HD., S.S.	4.00	EA
CMS-111 (MACH.	6-32 X 1/4" PHIL. PAN HEAD, ZINC LED LIGHT MOUNTING SCREWS: Thrd-Cutting Screw for Metal&Plastic (Type F) Pan Head Phil, Zinc-Plated Steel, 6-32 Thread, 1/4" L	48.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL. PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	4.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL. PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	4.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	14.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	20.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	15.00	EA
CWS-024 (DRYWALL ...	8 X 2 PARTIAL BOARD SCREW PARTIAL THREAD 8 X 2 PHILIPS HEAD FLAT HEAD WITH NIBS, BLACK PHOS STEEL	44.00	EA
EBR-145 (BREAKER)	10A, 1-P, ALTECH 1DU10L, UL489 ALTECH CORP. CATALOG #1DU10L, DIN MOUNT (AC) CIRCUIT BREAKER, 10A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	1.00	EA
EBR-146 (BREAKER)	15A, 1-P, ALTECH 1DU15L, UL489 ALTECH CORP. CATALOG #1DU15L, DIN MOUNT (AC) CIRCUIT BREAKER, 15A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	1.00	EA
EBR-147 (BREAKER)	2A, 1-P, ALTECH 1DU2L, UL489 ALTECH CORP. CATALOG #1DU2L, DIN MOUNT (AC) CIRCUIT BREAKER, 2A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	4.00	EA
EBR-163 (BREAKER)	3A, 1-P, ALTECH 1DU3L, UL489 ALTECH 1DU3L, DIN MOUNT (AC) CIRCUIT BREAKER, 3A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	2.00	EA
EBU-016 (BUSHING)	SR7N-2 HEYCO INSULATOR BUSHING HEYCO #1244 STRAIN RELIEF BUSHING; BLACK, UL/CSA STRAIGHT THRU-TYPE; FOR USE W/ Ø 0.430" MAX. ROUND CABLES; FOR USE W/ (EPL-030) 7-WIRE CORDSET. REQUIRES A 0.66" WIDE X 0.75" LONG OVAL MOUNTING HOLE.	1.00	EA
EBU-016 (BUSHING)	SR7N-2 HEYCO INSULATOR BUSHING HEYCO #1244 STRAIN RELIEF BUSHING; BLACK, UL/CSA STRAIGHT THRU-TYPE; FOR USE W/ Ø 0.430" MAX. ROUND CABLES; FOR USE W/ (EPL-030) 7-WIRE CORDSET. REQUIRES A 0.66" WIDE X 0.75" LONG OVAL MOUNTING HOLE.	2.00	EA
EBU-016 (BUSHING)	SR7N-2 HEYCO INSULATOR BUSHING HEYCO #1244 STRAIN RELIEF BUSHING; BLACK, UL/CSA STRAIGHT THRU-TYPE; FOR USE W/ Ø 0.430" MAX. ROUND CABLES; FOR USE W/ (EPL-030) 7-WIRE CORDSET. REQUIRES A 0.66" WIDE X 0.75" LONG OVAL MOUNTING HOLE.	1.00	EA
ECL-001 (CLAMP)	1/4" NYLON CABLE CLAMP	2.00	EA
ECL-031 (CLAMP)	3225T63 304 SS LOOP CLAMP 3/8" DIA. SILICONE RUBBER CUSHIONED, 10/PKG.	2.00	EA
ECL-032 (CLAMP)	5/8" NYLON CABLE CLAMP 5/8" NYLON CABLE CLAMP .05 THICK, .203" HOLE	2.00	EA
ECO-010 (CONNECTOR)	3/8" STRAIGHT ROMEX	1.00	EA

Partial Parts List For Job #: 20484-0000

Date Printed: May 26, 2023

For Sales Order:

Item: ARC41L2LEDSB4XH1C8T; ARC41L2LEDSB4XC8T; ARC41L3AR5

Part #	Description	QTY	UOM
	2711 RACO 2800 I.E. 6623. NON-METALLIC CABLE, REQUIRES ONE (1) 7/8" DIA. MOUNTING HOLE; UL- & CSA-APPROVED; KRIZ: STCNC301		
ECO-061 (CONNECTOR)	WAGO #231-304/026-000 FOUR CIRCUIT	2.00	EA
ECO-061 (CONNECTOR)	WAGO 231-304/026-000 FOUR CIRCUIT WAGO #231-304/026-000: 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #28-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.	1.00	EA
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	12.00	EA
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	6.00	EA
EFS-001 (FLOAT SWI...)	GEMS MODEL LS-3, PART #201540, N.O. GEMS MODEL LS-3 FLOAT SWITCH, PART NUMBER 201540, CONFIGURED NORMALLY OPEN (REVERSE FLOAT POSITION FOR N.C. OPERATION), POLYPROPYLENE STEM, MOUNTING AND FLOAT MATERIAL, KYNAR RETAINING CLIP, 3/4" FLOAT DIA., 7/16" ACTUATION, 0.95 MIN LIQ. SPEC. GRAVITY, -40°C TO 100°C, 1/8" NPT MOUNTING, WITH LEAD WIRES	1.00	EA
EHE-030 (HEATER)	175W WATER PAN HEATER, 230 VOL IMMERSION HEATER, REF. DWG. 71-1F-300-51A	1.00	EA
EHE-046 (HEATER)	250W @ 230V U-TUBE HEATER, RED OPEN AIR HEATER, 250W @ 230V, MARKED WITH RED PAINT, WATLOW PART RBN36B1H-2, 40" OAL X 0.315" DIA., FORMED IN FIGURE 1, A = 17.5625", R = 1", W/ EPOXY SEAL AND 36" SILICONE WIRE LEADS W/ SHRINK BOOT EPOXY SEAL, QUOTE # 710091 See drawing number 2006-1-300-7	1.00	EA
EHE-052 (HEATER)	230V, 11W, FLEX. BRAID ALUM HEATER 11W, 230VAC FLEXIBLE BRAID ALUMINUM HEATER, 8" LONG, REFRIGERATION HARDWARE SUPPLY CORP NO. 64-402	1.00	EA
EHE-068 (HEATER)	230V, 51W, FLEX. BRAID ALUM HEATER 51W, 230VAC, 0.22A, FLEXIBLE BRAID ALUMINUM HEATER, 40" LONG, REFRIGERATION HARDWARE SUPPLY CORP NO. 64-416	1.00	EA
EHU-073 (HUMIDIFY)	HMP60-A11A1A3A0 INTERCAP HUM. SENS HUMIDITY SENSOR, VAISALA #HMP60-A11A1A3A0 INTERCAP HUMIDITY SENSOR, MEASUREMENT RANGE: 0-100%RH, 0-1VDC OUTPUT SIGNAL, 3m CABLE, -40 to +60°C OPERATING TEMP, 5...28VDC OPERATING VOLTAGE, ±3% ACCURACY AT 0-40°C	1.00	EA
ELD-048	DALI TO PWM CONVERTER (4 CHANNELS) MEAN WELL DAP-04-S01	1.00	EA
ELD-066A	12 X 24 WHITE LED TILE W/COATING 12" x 24" LED tile WITH CONFORMAL COATING. With Samsung LM301B Mid Power LED, 4000K with CR190 SH flux bin. 12 STRINGS OF LEDs WITH 13 LEDs PER STRING (156).	6.00	EA
ELD-068	LED DRIVER, MEANWELL HLG-120H-C700B MEANWELL HLG-120H-C700B LED DRIVER, CONSTANT CURRENT, 700mA OUTPUT CURRENT, 107-215V OUTPUT, 90-305VAC INPUT VOLTAGE, WITH DIMMING, -40 TO 90°C OPERATING TEMP RANGE, RoHS, 7.72"L x 2.68"W x 1.53"H, IP65 RATING, 3 IN 1 DIMMING	2.00	EA
EPC-032 (USB CABLE)	PANEL MOUNT USB CABLE, A-A F/M, 3FT STARTTECH USBPNLAFAM3	1.00	EA
EPC-044 (COMPUTER)	SIBO, 10" ANDROID TOUCHSCREEN SHENZHEN SIBO INDUSTRIAL & DEVELOPMENT CO, LTD. MODEL Q8919 TOUCHSCREEN HMI WITH:	1.00	EA
EPC-057 (ETHERNET)	ETHERNET CABLE - 5' CAT5 CABLE BLK 10X6-12205, 5 FT., BLACK; UL-APPROVED, RoHS-COMPLIANT, WITHOUT PVC BOOT	1.00	EA
EPL-004 (PLUG)	3 TERM., MOLEX 1396, 03-09-2031 Conn Housing PL 3 POS 5.03mm Crimp ST Panel Mount Bag, W/MTG. EARS	2.00	EA
EPL-006 (PLUG)	MALE PLUG W/LEAD 18/3 W/54"LD WHITE EMF CORP. M-3-7/PM0030; 3-WIRE CORDSET, W/ 54" LENGTH AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION; UL- & CSA-RECOGNIZED.	2.00	EA
EPL-006 (PLUG)	MALE PLUG W/LEAD 18/3 W/54"LD WHITE EMF CORP. M-3-7/PM0030; 3-WIRE CORDSET, W/ 54" LENGTH AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION; UL- & CSA-RECOGNIZED.	1.00	EA
EPL-006 (PLUG)	MALE PLUG W/LEAD 18/3 W/54"LD WHITE EMF CORP. M-3-7/PM0030; 3-WIRE CORDSET, W/ 54" LENGTH AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION; UL- & CSA-RECOGNIZED.	2.00	EA
EPL-041 (PLUG)	9 TERM., AMP MATE-N-LOK #1-480706-0 REFERENCE NEWARK #46F2057; TYCO UNIVERSAL MATE-N-LOK #1-480706-0; 9-TERMINAL PLUG, 19 A @ 600 V MAX., 105°C MAX.; USE W/ (ERE-046); UL- &	4.00	EA
EPL-059 (PLUG)	TYCO 172167-1 MINI M-N-L , 4 SOCKET 172167-1 MINI MATE-N-LOK Connector, Soft Shell; 4; 600 VAC; Plug; Double-Row; Nylon; Plug; Natural	1.00	EA
EPS-033 (POWER SU...)	100/240V IN, 12VDC OUT, 96W WAGO 787-1721	1.00	EA
ERE-012 (RECEPTACLE)	3 HOLE W/EARS AND TABS PLUG & SOCKET HOUSING, RCPT, NYLON	2.00	EA
ERE-014 (RECEPTACLE)	FEMALE PLUG W/LEAD, 18/3W/12"LD EMF CORP. #PM0020; 3-WIRE FEMALE RECEPTACLE, W/ THREE (3) 12" LENGTH X AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION; REQUIRES A 1" X 1" SQUARE MOUNTING HOLE; FITS A 0.060" MAX. PANEL THICKNESS; UL- & CSA-RECOGNIZED.	2.00	EA
ERE-014 (RECEPTACLE)	FEMALE PLUG W/LEAD, 18/3W/12"LD EMF CORP. #PM0020; 3-WIRE FEMALE RECEPTACLE, W/ THREE (3) 12" LENGTH X AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION; REQUIRES A 1" X 1" SQUARE MOUNTING HOLE; FITS A 0.060" MAX. PANEL THICKNESS; UL- & CSA-RECOGNIZED.	1.00	EA
ERE-014 (RECEPTACLE)	FEMALE PLUG W/LEAD, 18/3W/12"LD EMF CORP. #PM0020; 3-WIRE FEMALE RECEPTACLE, W/ THREE (3) 12" LENGTH X AWG #18 STRANDED Cu WIRES & 300 V/105°C MAX., 1/2" PRESTRIPPED WHITE PVC INSULATION; REQUIRES A 1" X 1" SQUARE MOUNTING HOLE; FITS A 0.060" MAX. PANEL THICKNESS; UL- & CSA-RECOGNIZED.	2.00	EA
ERL-030 (RELAY)	DPDT, 30A,,240VAC,P&B #T92S11A22-240	1.00	EA
ERL-060 (RELAY)	S.S., N.O., 3-32 VDC INPUT, 5A, DIN CARLO GAVAZZI RP1A23D5M1: N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC; DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.	6.00	EA
ESW-130 (SWITCH)	DPST ROCKER SWITCH, 20A, 125V DIGIKEY #450-1686-ND TYCO #PRCDA1-20F-BB0BW DPST ROCKER SWITCH, ON-OFF, 20A @ 125V, 10A @ 250V, PANEL MOUNT, SNAP-IN, BLACK, I-O MARKINGS, RoHS COMPLIANT.	1.00	EA
ETC-052 (TEMP. CON...)	3 WIRE RTD, 100 OHMS, 0.00385 PLAT. WATLOW P/N RB1093901	2.00	EA
ETC-108 (TEMP. CON...)	INTELLUS CONTROL OVERLAY - CHINA INTELLUS CONTROL OVERLAY WITH GREEN BACKGROUND FOR CHINA	1.00	EA

Partial Parts List For Job #: 20484-0000

Date Printed: May 26, 2023

For Sales Order:

Item: ARC41L2LEDSB4XH1C8T; ARC41L2LEDSB4XC8T; ARC41L3AR5

Part #	Description	QTY	UOM
ETC-109 (TEMP. CON...	INTELLUSULTRA GEN2, LOW END VER2 WATLOW 2042-4104	1.00	EA
ETE-011 (TERMINAL)	AMP MATE-N-LOK PIN CONTACT AMP/TYCO #350547-1 (LOOSE FORM) #20-14 AWG; 19 A @ 600 V MAX.	25.00	EA
ETE-012 (TERMINAL)	AMP MATE-N-LOK SOCKET CONTACT AMP/TYCO #350550-1 (LOOSE FORM) #20-14 AWG; 19 A @ 600 V MAX.	4.00	EA
ETE-017 (TERMINAL)	WAGO# 2004-1401, GRAY, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	12.00	EA
ETE-018 (TERMINAL)	WAGO# 2004-1404, BLUE, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	6.00	EA
ETE-019 (TERMINAL)	WAGO# 2004-1407, GROUND, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	4.00	EA
ETE-020 (TERMINAL)	WAGO# 2004-1491, END PLATE 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	5.00	EA
ETE-021 (TERMINAL)	WAGO 2004-402, GRAY TERMINAL JUMPER FOR 5 mm TERMINAL BLOCK WIDTH	8.00	EA
ETE-022 (TERMINAL)	WAGO 249-116, END TERMINAL ANCHOR FOR 5 mm TERMINAL BLOCK WIDTH	10.00	EA
ETE-030 (TERMINAL)	16-CONDUCTOR, 4-TERMINAL SNAP-IN WAGO #862-0594, BLACK, NO LABELS. MTG REQUIRES TWO Ø5.2mm HOLES SPACED 12mm, PACKS OF 200; UL- & CUL-APPROVED.	1.00	EA
EWR-002 (TYRAP)	6" CABLE TIES	2.00	EA
EWR-002 (TYRAP)	CABLE TIES, RP14897	25.00	EA
HBS-001 (SPACER)	FEMALE THREADED CIRCUIT BOARD POST MICRO PLASTICS INC #27FTP00250	6.00	EA
HDR-007 (DRAIN)	328 005 THRU HULL DRAIN 3/4" WINUT	1.00	EA
HHA-008 (HANDLE)	BLACK SOUTHCO P1-30-101-11 ABS LOW GLOSS	1.00	EA
HHI-029 (HINGE)	SOUTHCO EH-5A-4G4-50 SERIES 40 BLACK POWDER COATED MOUNTING METHOD: M5 FOUR THREADSTUDS AT .984" BETWEEN CENTER.	2.00	EA
HLL-001 (LEVELER)	1/2"-2.264" OVERALL HEIGHT SK-9246-FT 1/2-13 X 2 1/4 LG LVL	4.00	EA
HLO-019 (LOCK)	COMPRESSION LOCK (1/4 TURN) 040-1-1-0-42-59, ELECTRAUSA zinc with slotted lock key	1.00	EA
HMA-010	S-MAGNET 1" X 1/2" X 1/8" THICK BC82CS-S, 1" X 1/2" X 1/8" THICK WITH COUNTERSUNK HOLE FOR #6 SCREW, RECTANGULAR BLOCK MAGNET, M42, NICKEL PLATING, MAGNETIZED WITH THE SOUTH POLE ON THE COUNTERSUNK SIDE	1.00	EA
HNU-045 (NUT)	10-24UNC #18-8 S.S. LOCKNUT SIMILAR TO McMASTER-CARR	3.00	EA
HNU-045 (NUT)	10-24UNC #18-8 S.S. LOCKNUT SIMILAR TO McMASTER-CARR	2.00	EA
HNU-052 (NUT)	M5, .8 COARSE THREAD NUT	12.00	EA
HNU-076 (RIVET NUT)	6-32 RUBBER-INSULATED RIVET NUT McMaster-Carr 93495A120, Rubber-Insulated Brass Rivet Nut, 6-32 Thread, 1/64" - 5/32" Material Thick Range	4.00	EA
HST-002 (PORT PLUG)	1 1/4" ACCESS PORT PLUG SHAW AGRO DEVELOPMENT #51013	3.00	EA
LST-007 (STAPLES)	15/16 CROWN X 3/4 LEG 16GA. STAPL ROOFING STAPLE	144.00	EA
LST-008 (STAPLES)	15/16 CROWN X 1 LEG 16GA. STAPLE INTERCHANGE WC GALVANIZED STAPLE	278.00	EA
RAC-002 (SUCTION A...	3701 REFRIG. RESEARCH, 5/8 ODF REFRIGERATION RESEARCH 3701, 5/8" ODF SOLDER CONNECTIONS, 2.1 lb R-22 HOLDING CAPACITY	1.00	EA
RBR-001 (RETURN BEND)	1/2" O.D. X .028" W X 1-3/8"#27826 WROT COPPER, MALE ENDS	2.00	EA
RCO-084 (UNIT COOLER)	BOHN TA23SG W/ 230/1/60 FANS BOHN, 230/1/60 Hz, 1.2 AMPS w/ 3 fan motors	1.00	EA
RCU-057 (CONDENSIN...	M7GH-H072-CFZ-328, 220-240/1/50 W/PRESSURE CONTROL & CONTACTOR	1.00	EA
RDR-004 (DRIER)	SPORLAN C-083-S DRIER 3/8", R-134A SELECTION RECOMMENDATION: 1/2 THRU 1 1/2 TONS	1.00	EA
RES-001 (ELBOW)	ELBOW, 3/8NOM C FTG WL 1/2"OD WRO W-02321, STREET FITTING	1.00	EA
RES-001 (ELBOW)	ELBOW, 3/8NOM C FTG WL 1/2"OD WRO W-02321, STREET FITTING	1.00	EA
RLI-002 (LIQ. INDICATOR)	SPORLAN SA-13S; 3/8" ODF SOLDER SPORLAN #SA-13S CATCH-ALL sight glass; W/ 3/8 ODF SOLDER CONNECTIONS; 5.2 TON R-22 CAPACITY.	1.00	EA
RPR-001 (PRES. REG...	CROT-6 5/8"ODF W/STRAINER 0/60 CROT-6 5/8"ODF W/STRAINER 0/60	1.00	EA
RRC-028 (RECORDER)	QUENCHARC 0.1MF 100 OHM 72K6759	1.00	EA
RTE-009 (TEE)	BRANCH TEE 1/4" RUN X 3/8", W-40368	1.00	EA
RTE-016 (TEE)	W-40350 1/2" O.D. X 1/4" O.D. MUELLER #W-40350 REDUCING TEE; 1/2" O.D. RUN CONNECTIONS X 1/4" O.D. BRANCH CONNECTION.	1.00	EA
RUN-013 (UNION)	1/4"OD ACCESS FITTING U CAP, 22790 1/4" m. flare access body, solder end has 1/4" ID and 3/8", 7/16" OD steps, 6/PK	1.00	EA
RVH-002 (HAND VALVE)	EBVP-1030 3/8" ODF BALL VALVE WITH ACCESS PORT, PARKER 502054	1.00	EA
RVQ-001 (BODY)	Q BODY 2 X 4 SAE 168011, 1/4 SAE INLET, 1/2 SAE OUTLET	1.00	EA
RVQ-102 (CARTRIDGE)	QC-2 GREEN Q CARTRIDGE/ID TAG	1.00	EA

Partial Parts List For Job #: 20484-0000

Date Printed: May 26, 2023

For Sales Order:

Item: ARC41L2LEDSB4XH1C8T; ARC41L2LEDSB4XC8T; ARC41L3AR5

Part #	Description	QTY	UOM
RVQ-200 (ELEMENT)	<small>168074</small> KT-43-JC 30" ELEMENT, R-134/513A 180314, FOR USE WITH R-134A/R-513A REFRIGERANT	1.00	EA
RVS-020 (VALVE)	SOLENOID VALVE U141015-220/50 <small>KIP #U141015; 220 VAC/50 Hz, 6 W, 100 MOPD, W/ 1/8" FNPT CONNECTIONS.</small>	1.00	EA
RVS-027 (VALVE)	FEMALE DIN CONNECTOR ASSY <small>GOES W/RVS-028 ON RVS-030 & RVS-031</small>	2.00	EA
RVS-028 (VALVE)	OMKC-1E 220-240/50 COIL	2.00	EA
RVS-030 (VALVE)	SOLENOID VALVE XWG-2, LESS COIL <small>SPORLAN XWG-2;- W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS</small>	1.00	EA
RVS-031 (VALVE)	SOLENOID VALVE XUP-7, LESS COIL <small>SPORLAN XUP; W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS</small>	1.00	EA
SCL-005 (CLIP)	#66 STAINLESS STL CLIP 0066-000008	16.00	EA
SPI-016 (PILASTER)	S.S. 54" LENGTH, 10060009054 <small>Stainless Steel, 54" long</small>	4.00	EA
SWS-115 (SHELF)	SHELF, 36 1/4" X 27" <small>W/WHITE EPOXY FINISH, DWG. SWS-115(SOLIDWORKS), 41 SERIES</small>	2.00	EA
XGA-051 (GASKET)	39" X 59 3/4" OD, 4 SIDED BLACK <small>02-126 BLACK MAGNETIC DOOR GASKET, 4 SIDED</small>	1.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE	12.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 <small>LAVELLE #1047, 1-1/4" I.D. X FOR 1-1/2" DIA. HOLE X 3/8" THICKNESS X 1/16" GROOVE WIDTH, BLACK</small>	1.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 <small>LAVELLE #1047; 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.</small>	1.00	EA
XGR-005 (GROMMET)	3/8" I.D. X 1/2" HOLE, BLACK VINYL <small>BLACK VINYL, G1089 PLASTIC</small>	2.00	EA
XGR-005 (GROMMET)	3/8" I.D. X 1/2" HOLE, BLACK VINYL <small>BLACK VINYL, G1089 PLASTIC</small>	1.00	EA
XGR-013 (GROMMET)	PUSH-IN GROMMET 1/4" ID, 5/8" OD <small>Push-in Grommet 1/4" ID, 5/8" OD</small>	2.00	EA
XGR-022 (GROMMET)	WHT LCKING GROMMET FOR 3/8 DIA HOLE <small>McMaster-Carr 5269T232, Locking Grommet for 3/8" Hole Diameter, 3/16" ID, White</small>	6.00	EA
YAD-009 (ADAPTER)	STEM ADAPTER, 1/4 STEM X 1/4 NPTF <small>FAST FITTINGS, PART #20-525P, STEM ADAPTER, 1/4" O.D. STEM X 1/4" NPTF, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE</small>	1.00	EA
YDR-002	ACCESS PORT SLEEVE, 1 1/4" ID <small>COMPONENT HARDWARE #R90-1002 Flexible Insulating Conduit Sleeve</small>	3.00	EA
YEL-006(ELBOW)	PVC ELBOW, 3/4FTP X 3/4 BARB <small>US PLASTICS PVC STOCK# 24056 or LASCO FITTING,INC# 1407-007</small>	1.00	EA
YEL-023 (ELBOW)	90° ELBOW, 1/4 X 1/4 O.D. PUSH-IN <small>FAST FITTINGS, PART #20-152P, 90° UNION ELBOW, 1/4" X 1/4" PLASTIC PUSH-IN TUBE FITTINGS, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE</small>	1.00	EA
YEL-026 (ELBOW)	90° ELBOW, 1/4 PUSH-IN X 1/8NPTF <small>FAST FITTINGS, PART #20-068P, 90° FIXED ELBOW, 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING X 1/8NPTF, FIXED ELBOW, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE</small>	1.00	EA
YHI-002 (HINGE)	IN LINE KNUCKLE STYLE HINGE <small>SOUTHCO 96-10-400-11</small>	5.00	EA
YHP-012 (HOLE PLUG)	1/2" WHITE DP-500 PLASTIC 2644	1.00	EA
YHP-015 (HOLE PLUG)	1.01" ID SQ BLK HOLE PLUG <small>Black Polyethylene Square Plug, Push-In, 1.01" Long x 1.01" Wide Inside, 1/2" height, 50D hardness</small>	2.00	EA
YHS-001 (SPACER)	HINGE SPACER 95-3-50-5A <small>30% GLASS FILLED NYLON/BLACK</small>	5.00	EA
YMC-006 (MALE CON...	MALE CONNECTOR, 1/4 PUSH X 1/8 NPTF <small>FAST FITTINGS, PART #20-054P, MALE CONNECTOR, 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING X 1/8NPTF, STRAIGHT, 1-60°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE</small>	1.00	EA
YNV-005 (VALVE)	BALL VALVE, 1/4 X 1/4" PUSH-IN <small>FAST FITTINGS, PART #20-900P, PL X PL SHUT-OFF VALVE, 1/4 X 1/4 O.D. PLASTIC PUSH-IN TUBE FITTING, 1-140°C OPERATING TEMP RANGE, 0-150psi OPERATING PRESSURE RANGE</small>	1.00	EA
YRB-001 (REDUCING...	1/2" X 1/4" IPS 48335K205 THREADED	1.00	EA
YWA-001 (WASHER)	.040 PLASTIC SHOULDER WASHER <small>24SW0006 0.040" Nylon 6/6 Shoulder Washer with Natural Finish, Off White</small>	48.00	EA