

Partial Parts List For Job #: 21712-0000

Date Printed: July 5, 2024

For Sales Order: 34130 Item: GR36LC8IW

Part #	Description	QTY	UOM
2015-1C-30	36 SERIES INSULATED BOX (PURCHASED) REV. B IS THE NEW BOX DESIGN OFF THE SALVAGNINI WITH NEW FLOOR DRAIN & BREAKER REDESIGN. CHANGE ON BOXES SHIPPED FROM LEER AFTER 9-1-16.	2.00	EA
2017-5-230-1	SHORT (NORMAL) SENSOR BRACKET Bend Location: B--	2.00	EA
2018-8-600-2	LONG COPPER TUBE 1/2" OD COPPER, 18" LENGTH	2.00	EA
2020-11-70-2	UNIT COOLER AIR BLOCK Bend Location: B--	2.00	EA
2020-11-70-3L	LH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	2.00	EA
2020-11-70-3R	RH UNIT COOLER AIR BLOCK HANGER Bend Location: B--	2.00	EA
2020-11-70-4	AIR BLOCK BACKING STRIP 22 GA #304-4 S.S.	4.00	EA
2020-11-70-5	UNIT COOLER AIR BLOCK RUBBER 1/16" X 4 3/4" X 6" NEOPRENE RUBBER	4.00	EA
2020-2-100-2	36 CONTROL BOX ENCLOSURE Bend Location: A--	2.00	EA
2020-2-100-3	36 CONTROL BOX TOP COVER Bend Location: B--	2.00	EA
2020-2-100-4	36 CONTROL BOX DOOR STOP Bend Location: B--	2.00	EA
2020-2-100-5	36 SOLID-STATE RELAY MOUNTING PLATE Bend Location: B--	2.00	EA
2020-2-100B	CONTROL BOX LOCK CATCH PLATE WELD	2.00	EA
2020-2-100C	36 CONTROL BOX DOOR WELD ASS'Y	2.00	EA
2020-2-80-1L	LH CONTROL TOP CORNER Bend Location: B--	2.00	EA
2020-2-80-1R	RH CONTROL TOP CORNER 18 GA PTLOK	2.00	EA
2020-2-80-2	36 CONTROL TOP REAR PANEL 22 GA PTLOK	2.00	EA
2020-2-80-3	36 MECH SECTION COVER 22 GA PTLOK	2.00	EA
2021-8-170-1	HEATER BRACKET 22 GA GALV	4.00	EA
57458	DRIER CLAMP Bend Location: B--	2.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	4.00	EA
95-3-120-3	SIDE PANEL CHANNEL Bend Location: B--	4.00	EA
95-3-300-2	CONDENSING UNIT PLATE Bend Location: B--	2.00	EA
95-3-300-5	TOP LH PANEL Bend Location: B--	2.00	EA
95-3-300-6	TOP RH SCREEN Bend Location: B--	2.00	EA
95-4-50-1	DOOR FACE PANEL Bend Location: A--	2.00	EA
95-4-50-2	DOOR CORE PANEL Bend Location: A--	2.00	EA
95-4-50-5	CORNER-DOOR CORE Bend Location: FLAT	8.00	EA
CMS-027 (MACH.	1/4-20 UNC X 1/2", ROUND HD., ZINC ZINC-CHROMATE PLATED	12.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	8.00	EA
CMS-044 (MACH.	6-32 X 1/2" PHILLIPS ROUND HD. S.S.	8.00	EA
CMS-069 (MACH.	10-24 UNC X 3/8, PH. RD. HD., S.S. 10-24 UNC X 3/8" PHILLIPS, ROUND HEAD, STAINLESS-STEEL MACHINE SCREW	4.00	EA
CMS-074 (MACH.	6-32 X 1" PHILLIPS RD. HD., S.S.	8.00	EA
CRI-016 (RIVET)	1/8" X .250", .063"-.125" GRIP, SS McMASTER-CARR #97525A415 POP RIVET; #18-8 STAINLESS-STEEL BODY & MANDREL; Ø 1/8" X .250" LENGTH BODY; .063"-.125" GRIP RANGE; Ø .250" X .040" HEIGHT DOME-STYLE HEAD; REQUIRES A Ø .129" TO Ø .133" CLEARANCE HOLE (#30 DRILL BIT).	16.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	8.00	EA
CSM-004 (S.M. SCREW)	6 X 1/2" NICKEL PL, PHIL. TRUSSHEAD #6128-148N SERVICE SUPPLY CO.	8.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	30.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	72.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	8.00	EA
CSM-039 (S.M. SCREW)	6 X 1/2" SELF DRILLING #410 S.S. HEX HEAD, CORROSION RESISTANT COATING	12.00	EA
CSM-059 (S.M. SCREW)	14-10 X 1 TSA PH HZ PN Pan Head Phillips Screw for Sheet Metal, Zinc-Plated Steel, Number 14 Size, 1" Length	8.00	EA
CWS-024 (DRYWALL ...	8 X 2 PARTICAL BOARD SCREW	82.00	EA

Partial Parts List For Job #: 21712-0000

Date Printed: July 5, 2024

For Sales Order: Item: GR36LC8IW

Part #	Description	QTY	UOM
EBR-146 (BREAKER)	PARTIAL THREAD 8 X 2 PHILIPS HEAD FLAT HEAD WITH NIBS, BLACK PHOS STEEL 15A, 1-P, ALTECH 1DU15L, UL489 ALTECH CORP. CATALOG #1DU15L, DIN MOUNT (AC) CIRCUIT BREAKER, 15A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	4.00	EA
EBR-147 (BREAKER)	2A, 1-P, ALTECH 1DU2L, UL489 ALTECH CORP. CATALOG #1DU2L, DIN MOUNT (AC) CIRCUIT BREAKER, 2A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	6.00	EA
EBR-163 (BREAKER)	3A, 1-P, ALTECH 1DU3L, UL489 ALTECH 1DU3L, DIN MOUNT (AC) CIRCUIT BREAKER, 3A, 1-POLE, 10kA @ 120/240/277VAC, 50/60Hz, L-SERIES; SCREW TERMINALS, GREEN: OFF/TRIP, RED: ON, LINE/LOAD REVERSIBLE, HIGH MAGNETIC TRIP POINT, UL 489 & CE	2.00	EA
ECO-061 (CONNECTOR)	WAGO #231-304/026-000 FOUR CIRCUIT WAGO #231-304/026-000; 4-POLE ORANGE FEMALE CONNECTOR W/ CAGE CLAMP, FOR USE W/ AWG #28-12 WIRE, 300 V/15 A MAX., UL & CSA APPROVED.	6.00	EA
ECO-119 (CONNECTOR)	WAGO 2 CONDUCTORS LEVER CONNECTOR WAGO 221-412, 24-12 GA. WIRE, 600V, 20A, 2 COMMON TERMINALS, UL, CE, EN, 100/BOX	8.00	EA
ECO-121 (CONNECTOR)	WAGO 5 CONDUCTORS LEVER CONNECTOR WAGO 221-415, 24-12 GA. WIRE, 600V, 20A, 5 COMMON TERMINALS, UL, CE, EN, 25/BOX	4.00	EA
EHE-046 (HEATER)	250W @ 230V U-TUBE HEATER, RED OPEN AIR HEATER, 250W @ 230V, MARKED WITH RED PAINT, WATLOW PART RBN36B1H-2, 40" OAL X 0.315" DIA., FORMED IN FIGURE 1, A = 17.5625", R = 1", W/ EPOXY SEAL AND 36" SILICONE WIRE LEADS W/ SHRINK BOOT EPOXY SEAL, QUOTE # 710091 See drawing number 2006-1-300-7	2.00	EA
EIN-002 (INSULINER)	422 T&B 1/2", BLUE OR BLACK THOMAS & BETTS #422, 1/2" TRADE SIZE, BLUE OR BLACK, INSULINER; UL-APPROVED (UL FILE #E23018); FOR USE W/ (ECO-010).	4.00	EA
ELD-107	4' LED STRIPS, CCT= 5700, CRI=90 RAPIDLED, 4' LED BAR WITH WHITE ONLY LEDS. CCT= 5700, CRI=90, 24VDC, CONSTANT VOLTAGE, 24W EACH, 4030 LUMENS, WITH 1' CORD AT ONE END AND PLUG PLUS A MALE RECEPTACLE	8.00	EA
ELD-113	FEMALE CONNECTOR RAPID LED FEMALE RECEPTACLE CONNECTOR FOR ELD-106 AND ELD-107. INCLUDES 3' long wire, stripped back 3" and tinned 11mm	8.00	EA
ELD-114	METAL LED CLIP FOR ELD-106 AND 107 RAPIDLED, METAL MOUNTING CLIP FOR ELD-106 AND ELD-107	16.00	EA
ELD-117	LED DRIVER, MEANWELL PWM-120-24DA MEANWELL PWM-120-24DA LED DRIVER, CONSTANT VOLTAGE PWM STYLE OUTPUT, 120W OUTPUT POWER, 1.47kHz output, 24VDC OUTPUT VOLTAGE, UNIVERSAL INPUT VOLTAGE UP TO 305 VAC, DALI/DALI-2 DIMMING, PWM DIMMING OR 0-10VDC OR RESISTANCE DIMMING, DIMMING RANGE 0 TO 100% THROUGH-HOLE MOUNTING STYLE, -40 TO 90°C OPERATING TEMP RANGE, RoHS, 37.5mm HEIGHT, 191mm LENGTH, 63 mm WIDTH.	2.00	EA
EPC-032 (USB CABLE)	PANEL MOUNT USB CABLE, A-A F/M, 3FT STARTECH USBPDLAFAM3	2.00	EA
EPL-041 (PLUG)	9 TERM., AMP MATE-N-LOK #1-480706-0 REFERENCE NEWARK #46F2057; UNIVERSAL MATE-N-LOK #1-480706-0; 9-TERMINAL PLUG, 19 A @ 600 V MAX., 105°C MAX.; USE W/ (ERE-046); UL- &	4.00	EA
EPL-059 (PLUG)	TYCO 172167-1 MINI M-N-L , 4 SOCKET 172167-1 MINI MATE-N-LOK Connector, Soft Shell, 4, 600 VAC; Plug; Double-Row; Nylon; Plug; Natural	2.00	EA
EPS-031 (POWER SU...)	120/240V IN, 12VDC OUT, 75W MEAN WELL LRS-75-12	2.00	EA
ERL-030 (RELAY)	DPDT, 30A., 240VAC	2.00	EA
ERL-060 (RELAY)	S.S., N.O., 3-32 VDC INPUT, 5A, DIN CARLO GAVAZZI RPIA23D5M1, N.O., 3-32 VDC INPUT, 24-240 VAC OUTPUT, 5 A MAX. LOAD CURRENT, ZERO-SWITCH TRIAC; DIN MOUNT, PUSH-TO-RELEASE WIRING CONNECTIONS; UL- & CSA-APPROVED.	4.00	EA
ESW-130 (SWITCH)	DPST ROCKER SWITCH, 20A, 125V DIGIKEY #450-1686-ND TYCO #PRCDA1-20F-BB0BW	2.00	EA
ETC-052 (TEMP. CON...)	3 WIRE RTD, 100 OHMS, 0.00385 PLAT. WATLOW P/N RB1093901	4.00	EA
ETC-094 (TEMP. CON...)	INTELLUS CONTROL OVERLAY CONTROLLER W/ UPDATED LED COLORS	2.00	EA
ETC-109 (TEMP. CON...)	INTELLUSULTRA GEN2, LOW END VER2 Watlow PSIB-ASIC-0005	2.00	EA
ETE-017 (TERMINAL)	WAGO 2004-1401, GRAY, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	16.00	EA
ETE-018 (TERMINAL)	WAGO 2004-1404, BLUE, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	8.00	EA
ETE-019 (TERMINAL)	WAGO 2004-1407, GROUND, 4 TERMINAL 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	6.00	EA
ETE-020 (TERMINAL)	WAGO 2004-1491, END PLATE 5 mm TERMINAL BLOCK WIDTH FOR MOUNTING ON DIN RAIL	4.00	EA
ETE-021 (TERMINAL)	WAGO 2004-402; GRAY TERM. JUMPER WAGO #2004-402; LIGHT GRAY, 2-PIN PUSH-IN JUMPER BAR; FOR USE W/ 5 mm WIDE TERMINAL BLOCKS; 32 A MAX.	6.00	EA
ETE-022 (TERMINAL)	WAGO 249-116, END TERMINAL ANCHOR FOR 5 mm TERMINAL BLOCK WIDTH	20.00	EA
HBS-001 (SPACER)	FEMALE THREADED CIRCUIT BOARD POST MICRO PLASTICS INC #27FTP00250	12.00	EA
HHA-008 (HANDLE)	BLACK SOUTHCO P1-30-101-11 ABS LOW GLOSS	2.00	EA
HHI-029 (HINGE)	SOUTHCO EH-5A-4G4-50 SERIES 40 BLACK POWDER COATED MOUNTING METHOD: M5 FOUR THREADSTUDS AT .984" BETWEEN CENTER.	4.00	EA
HLO-019 (LOCK)	COMPRESSION LOCK (1/4 TURN) 040-1-1-0-42-59, ELECTRAUSA zinc with slotted lock key	2.00	EA
HNU-052 (NUT)	M5, .8 COARSE THREAD NUT	16.00	EA
HNU-068 (NUT)	LOCKNUT, 6-32, 18-8 S.S. McMASTER-CARR #91831A007	8.00	EA
HNU-076 (RIVET NUT)	6-32 RUBBER-INSULATED RIVET NUT McMaster-Carr 93495A120, Rubber-Insulated Brass Rivet Nut, 6-32 Thread, 1/64" - 5/32" Material Thick Range	8.00	EA
HST-016 (PORT PLUG)	1 1/4" PLUG FOR ACCESS PORT	2.00	EA

Partial Parts List For Job #: 21712-0000

Date Printed: July 5, 2024

For Sales Order: Item: GR36LC8IW

Part #	Description	QTY	UOM
HWA-008 (WASHER)	1/4" FLAT, ZINC PLATED	12.00	EA
HWA-008 (WASHER)	1/4" FLAT, ZINC PLATED	8.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED FASTENAL 1133618	12.00	EA
HWA-012 (WASHER)	1/4" LOCK WASHER ZINC PLATED FASTENAL 1133618	8.00	EA
LST-007 (STAPLES)	15/16 CROWN X 3/4 LEG 16GA. STAPL ROOFING STAPLE	288.00	EA
LST-008 (STAPLES)	15/16 CROWN X 1 LEG 16GA. STAPLE INTERCHANGE WC GALVANIZED STAPLE	534.00	EA
RAC-006 (SUCTION A...	3816 REF. RESEARCH, 1/2 ODF REFRIGERATION RESEARCH 3816; 4" X 6-1/2" L, 1/2" ODF SOLDER INLET & OUTLET CONNECTIONS; 2.3# of R-134a HOLDING CAPACITY.	2.00	EA
RCO-052 (UNIT COOLER)	BOHN TA17SG, 208-230 VAC, 60 HZ BOHN T17SG; 208-230 VAC/1-PHASE/60 Hz; W/ 1/2 SAE FLARE NUT INLET & 3/8 ODF SOLDER SUCTION-LINE CONNECTIONS, 1/2 O.D. CONDENSATE DRIP PAN DRAIN CONNECTION; W/ 1,700 BTU/(hr.-10°F TD) COOLING CAPACITY; R-134a, W/ TWO (2) 208-230 VAC/1-PHASE/60 Hz FANS. 0.8 FLA TOTAL @ 208-230 VAC; 210 cfm TOTAL; UL & cUL LISTED; NSF 7-1997 CLASSIFIED.	2.00	EA
RCU-161 (CONDENSIN...	M7JH-H028-IAZ-303, 220/1/50, 134A RECEIVER CAPACITY = 2.0lbs @ 90% MAX FUSE SIZE = 15A	2.00	EA
RDR-008 (DRIER)	SPORLAN C-052-S DRIER 1/4" LINE.	2.00	EA
RES-001 (ELBOW)	ELBOW, 3/8NOM C FTG WL1/2"OD WRO W-02321, STREET FITTING	2.00	EA
RFN-002 (FLARE NUT)	3/8" SPODEK NS4-6, SHORT TYPE 3/8"	4.00	EA
RLI-001 (LIQ. INDICATOR)	SPORLAN SA-12S 1/4 ODF SIGHT GLASS	2.00	EA
RPR-001 (PRES. REG...	CROT-6 5/8"ODF W/STRAINER 0/60 CROT-6 5/8"ODF W/STRAINER 0/60	2.00	EA
RTE-018 (TEE)	TEE 1/8" NOM, W-40306	2.00	EA
RTE-019 (TEE)	TEE, WROT 1/4"NOM SIZE, W-04000 (3/8" OD COPPER TUBE)	2.00	EA
RVH-002 (HAND VALVE)	EBVP-1030 3/8" ODF BALL VALVE WITH ACCESS PORT, PARKER 502054	2.00	EA
RVQ-001 (BODY)	Q BODY 2 X 4 SAE 168011, 1/4 SAE INLET, 1/2 SAE OUTLET	2.00	EA
RVQ-101 (CARTRIDGE)	QC-1 YELLOW Q CARTRIDGE/ID TAG 168072	2.00	EA
RVQ-200 (ELEMENT)	KT-43-JC 30" ELEMENT, R-134/513A 180314, FOR USE WITH R-134A/R-513A REFRIGERANT	2.00	EA
RVS-027 (VALVE)	FEMALE DIN CONNECTOR ASSY GOES W/RVS-028 ON RVS-030 & RVS-031	4.00	EA
RVS-028 (VALVE)	OMKC-1E 220-240/50 COIL 10 WATT	4.00	EA
RVS-030 (VALVE)	SOLENOID VALVE XWG-2, LESS COIL SPORLAN XWG-2- W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	2.00	EA
RVS-031 (VALVE)	SOLENOID VALVE XUP-7, LESS COIL SPORLAN XUP. W/ EXTENDED 3/8" ODF SOLDER CONNECTIONS	2.00	EA
SWS-167 (SHELF)	SHELF, 25 1/2" X 28 3/4" W/WHITE EPOXY-POLYESTER HYBRID FINISH	30.00	EA
XGA-040 (GASKET)	31 1/2" X 59 3/4"OD, 4 SIDED BLACK MAGNETIC DOOR GASKET	2.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE	4.00	EA
XGR-002 (GROMMET)	3/4" I.D. X 7/8" HOLE LAVELLE INDUSTRIES #1022	8.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047, 1-1/4" I.D. X FOR 1-1/2" DIA. HOLE X 3/8" THICKNESS X 1/16" GROOVE WIDTH, BLACK	2.00	EA
XGR-003 (GROMMET)	1-1/4 ID X 1-1/2 HOLE LAVELLE #1047 LAVELLE #1047; 1-7/8" O.D. X 1-1/4" I.D. X Ø 1-1/2" PANEL HOLE X 3/8" O.A. THICKNESS X 1/16" GROOVE WIDTH, BLACK RUBBER.	2.00	EA
XGR-023 (GROMMET)	KDM M16 CABLE ENTRY PUSH THRU Murr Plastik 87401010, Gray, 0.04" - 0.35," 50/PK	4.00	EA
XLA-013 (LABEL)	WAGO 44 X 99 MM, SILVER LABEL WAGO 210-804, 44 MM X 99 MM, 500 MARKERS PER ROLL, WEIGHS 400 GRAMS PER ROLL, SILVER-COLORED	4.00	EA
YDR-002	ACCESS PORT SLEEVE, 1 1/4" ID COMPONENT HARDWARE R90-1002 Flexible Insulating Conduit Sleeve	2.00	EA
YHI-002 (HINGE)	IN LINE KNUCKLE STYLE HINGE	6.00	EA
YHS-001 (SPACER)	SOUTHCO 96-10-400-11 HINGE SPACER 95-3-50-5A 30% GLASS FILLED NYLON/ BLACK	6.00	EA